


MHRH230 白金級無限鍍膜全鎢鋼深溝立銑刀

2-Flute Long Neck End Mills for Hardened Steels



D < 0.5 0~-0.01
 D ≥ 0.5 0~-0.02

- * 採用最新開發之白金級無限鍍膜，最適合加工48~65HRC之高硬度鋼材。
- * 長頸型銑刀，最適於細長、狹窄之溝槽加工。
- * 可大幅提高直接加工於高硬度鋼材的壽命，且加工精度更加優異。

單位：mm


刃徑 (D)	有效長 (l_1)	刃長 (l)	首下徑 (d_2)	首角 (γ)	柄徑 (d)	全長 (L)	價(支)格
0.1	0.3	0.08	0.085	12°	4	45	5,940.00
0.1	0.5	0.08	0.085	12°	4	45	6,450.00
0.1	0.75	0.08	0.085	12°	4	45	7,070.00
0.1	1	0.08	0.085	12°	4	45	7,910.00
0.15	0.3	0.12	0.13	12°	4	45	5,490.00
0.15	0.5	0.12	0.13	12°	4	45	5,940.00
0.15	0.75	0.12	0.13	12°	4	45	6,500.00
0.15	1	0.12	0.13	12°	4	45	6,500.00
0.15	1.5	0.12	0.13	12°	4	45	7,070.00
0.2	0.5	0.15	0.18	12°	4	45	4,980.00
0.2	0.75	0.15	0.18	12°	4	45	5,490.00
0.2	1	0.15	0.18	12°	4	45	5,940.00
0.2	1.5	0.15	0.18	12°	4	45	7,460.00
0.2	2	0.15	0.18	12°	4	45	8,200.00
0.3	1	0.25	0.28	12°	4	45	4,980.00
0.3	1.5	0.25	0.28	12°	4	45	4,980.00
0.3	2	0.25	0.28	12°	4	45	5,940.00
0.3	2.5	0.25	0.28	12°	4	45	7,460.00
0.3	3	0.25	0.28	12°	4	45	7,460.00
0.4	1	0.3	0.37	12°	4	45	3,450.00
0.4	1.5	0.3	0.37	12°	4	45	3,730.00
0.4	2	0.3	0.37	12°	4	45	4,980.00
0.4	2.5	0.3	0.37	12°	4	45	5,940.00
0.4	3	0.3	0.37	12°	4	45	5,940.00
0.4	3.5	0.3	0.37	12°	4	45	7,460.00
0.4	4	0.3	0.37	12°	4	45	7,460.00
0.5	1	0.4	0.46	12°	4	45	2,550.00
0.5	1.5	0.4	0.46	12°	4	45	2,550.00

白金級無限鍍膜刀具
MUGEN Coating Premium

FCT
匯聚貿易 / 匯穎國際

MHRH230 白金級無限鍍膜全鎢鋼深溝立銑刀

2-Flute Long Neck End Mills for Hardened Steels



D < 0.5 0~-0.01
 D ≥ 0.5 0~-0.02

- * 採用最新開發之白金級無限鍍膜，最適合加工48~65HRC之高硬度鋼材。
- * 長頸型銑刀，最適於細長、狹窄之溝槽加工。
- * 可大幅提高直接加工於高硬度鋼材的壽命，且加工精度更加優異。

單位：mm


刀徑 (D)	有效長 (l ₁)	刃長 (l)	首下徑 (d ₂)	首角 (γ)	柄徑 (d)	全長 (L)	價(支)格
0.5	2	0.4	0.46	12°	4	45	2,550.00
0.5	2.5	0.4	0.46	12°	4	45	2,550.00
0.5	3	0.4	0.46	12°	4	45	2,550.00
0.5	4	0.4	0.46	12°	4	45	2,550.00
0.5	5	0.4	0.46	12°	4	45	2,550.00
0.6	1.5	0.5	0.56	12°	4	45	2,550.00
0.6	2	0.5	0.56	12°	4	45	2,550.00
0.6	3	0.5	0.56	12°	4	45	2,550.00
0.6	4	0.5	0.56	12°	4	45	2,550.00
0.6	5	0.5	0.56	12°	4	45	2,550.00
0.6	6	0.5	0.56	12°	4	45	2,550.00
0.8	4	0.65	0.76	12°	4	45	2,550.00
0.8	6	0.65	0.76	12°	4	45	2,550.00
0.8	8	0.65	0.76	12°	4	50	2,550.00
1	3	0.8	0.95	12°	4	50	2,550.00
1	4	0.8	0.95	12°	4	50	2,550.00
1	6	0.8	0.95	12°	4	50	2,550.00
1	8	0.8	0.95	12°	4	50	2,550.00
1	10	0.8	0.95	12°	4	50	2,550.00
1.2	6	1	1.15	12°	4	50	2,550.00
1.2	8	1	1.15	12°	4	50	2,550.00
1.2	10	1	1.15	12°	4	50	2,550.00
1.2	12	1	1.15	12°	4	50	2,550.00
1.5	4	1.2	1.45	12°	4	50	2,550.00
1.5	6	1.2	1.45	12°	4	50	2,550.00
1.5	8	1.2	1.45	12°	4	50	2,550.00
1.5	10	1.2	1.45	12°	4	50	2,550.00
1.5	12	1.2	1.45	12°	4	50	2,550.00

白金級無限鍍膜刀具

MUGEN Coating Premium

MHRH230 白金級無限鍍膜全鎢鋼深溝立銑刀

2-Flute Long Neck End Mills for Hardened Steels



D < 0.5 0~-0.01
 D ≥ 0.5 0~-0.02

- * 採用最新開發之白金級無限鍍膜，最適合加工48~65HRC之高硬度鋼材。
- * 長頸型銑刀，最適於細長、狹窄之溝槽加工。
- * 可大幅提高直接加工於高硬度鋼材的壽命，且加工精度更加優異。

單位：mm

刃徑 (D)	有效長 (l ₁)	刃長 (l)	首下徑 (d ₂)	首角 (γ)	柄徑 (d)	全長 (L)	價(支)格
1.5	14	1.2	1.45	12°	4	60	2,550.00
1.5	16	1.2	1.45	12°	4	60	2,550.00
1.8	6	1.4	1.75	12°	4	50	2,550.00
1.8	8	1.4	1.75	12°	4	50	2,550.00
1.8	10	1.4	1.75	12°	4	50	2,550.00
1.8	12	1.4	1.75	12°	4	50	2,550.00
1.8	14	1.4	1.75	12°	4	50	2,550.00
1.8	16	1.4	1.75	12°	4	60	2,550.00
1.8	18	1.4	1.75	12°	4	60	2,550.00
2	6	1.6	1.94	12°	4	50	2,550.00
2	8	1.6	1.94	12°	4	50	2,550.00
2	10	1.6	1.94	12°	4	50	2,550.00
2	12	1.6	1.94	12°	4	50	2,550.00
2	14	1.6	1.94	12°	4	60	2,550.00
2	16	1.6	1.94	12°	4	60	2,550.00
2	18	1.6	1.94	12°	4	60	2,550.00
2	20	1.6	1.94	12°	4	60	2,550.00
2.5	8	2	2.4	12°	4	50	2,550.00
2.5	12	2	2.4	12°	4	50	2,550.00
2.5	16	2	2.4	12°	4	60	2,550.00
2.5	20	2	2.4	12°	4	60	2,550.00
3	8	4.5	2.85	12°	6	50	3,510.00
3	12	4.5	2.85	12°	6	50	3,510.00
3	16	4.5	2.85	12°	6	60	3,510.00
3	20	4.5	2.85	12°	6	60	3,510.00
3	25	4.5	2.85	12°	6	70	3,790.00
3	30	4.5	2.85	12°	6	70	4,070.00

白金級無限鍍膜刀具
MUGEN Coating Premium

FCT 匯聚貿易 / 匯穎國際